

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1-15. cancelled.

16. (withdrawn): A system for managing a session that runs in a telecommunication network and a data network comprising:

a first device that receives data from a data source; and

a session management server; wherein

said session management server is connected to the first device through the telecommunication network and is connected to the data source through the data network;

said session management server controls the flow of data from the data source to the first device;

wherein the first device controls the session management server;

wherein the session management server performs a data manipulation function; and

wherein the data manipulation function is at least one of zoom and fast forward.

17. (withdrawn): A system for managing a session that runs in a telecommunication network and a data network comprising:

a first device that receives data from a data source; and

a session management server; wherein

said session management server is connected to the first device through the telecommunication network and is connected to the data source through the data network;

said session management server controls the flow of data from the data source to the first device;

wherein the first device controls the session management server;

wherein the session management server performs a data manipulation function; and

wherein the data manipulation function fast forwards to specific points in at least one of an audio, video and text file.

18. (withdrawn): A system for managing a session that runs in a telecommunication network and a data network comprising:

a first device that receives data from a data source; and

a session management server; wherein

said session management server is connected to the first device through the telecommunication network and is connected to the data source through the data network;

said session management server controls the flow of data from the data source to the first device;

wherein the first device controls the session management server;

wherein the session management server performs a data manipulation function; and

wherein the session management server continues to receive data from the data source while the data manipulation function is being performed.

19-25. cancelled.

26. (currently amended): A method for managing a plurality of sessions comprising:
initiating a first session in a first device connected to a data source;

initiating a second session in the first device while the first data session is still running;
stopping the first session in the first device; and
continuing the first session in a session management server,

wherein the session management sever sends an acknowledgement to the data source
indicating receipt of data of the first data session.

27. (original): The session management method of claim 26, further comprising
resuming the first session in the first device at the point at which the first session was interrupted.

28. (original): The session management method of claim 26, wherein the first
session and the second session are both data sessions.

29. (previously presented): The session management method of claim 26, wherein
the first session is a data session and the second session is a voice session.

30. (original): The session management method of claim 26, wherein the first device
is a cellular telephone.

31. (original): The session management method of claim 26, wherein the first device
is a personal data assistant.

32. (original): The session management method of claim 26, wherein the first device
is a personal computer.

33. (original): The session management method of claim 26, wherein the first and
second sessions are initiated using at least one key.

34. (original): The session management method of claim 26, wherein the first session
comprises downloading a data file.

35. (original): The session management method of claim 26, wherein the data source is the Internet.

36. (original): The session management method of claim 26, wherein the data source is a WAP gateway.

37. (withdrawn): A method for managing a session comprising:
initiating a session in a first device to download data from a data source; and
manipulating the data while the session is still running and prior to all of the data being downloaded to the first device.

38. (withdrawn): The session management method of claim 37, wherein said data manipulation comprises zooming in on a portion of the data.

39. (withdrawn): The session management method of claim 37, wherein said data manipulation comprises forwarding to a later portion of a stream of data.

40. (currently amended): A method for managing a session comprising:
initiating a session in a first device connected to a data source;
stopping the first session in the first device; and
continuing the first session in a session management server,
wherein the session management server sends an acknowledgement to the data source
indicating receipt of data of the first session.

41. (original): The session management method of claim 40, further comprising
resuming the stopped first session in the first device at the point at which the session was interrupted.

42. (withdrawn): A system for managing a session comprising:
a first device that is able to receive data from a data source; and
a session management server connected to the first device and the data source that
controls the flow of data from the data source to the first device;
wherein the first device is used to control the session management server; and
the session management server performs a spoofing function.
43. (cancelled).
44. (previously presented): The session management method of claim 26, wherein the
first device initiates the first session via the session management server, and the first device
initiates the second session via the session management server.
45. (previously presented): The session management method of claim 26, wherein the
session management server manages each session initiated by the first device.
46. (previously presented): The session management method of claim 26, wherein the
session management server performs a spoofing function for the first device.
47. (previously presented): The session management method of claim 26, wherein the
session management server provides a service to the first device, the service corresponding to
each session of the first device managed by the session management server.
48. (previously presented): The session management method of claim 47, wherein the
service provided by the session management server is in addition to one or more services
provided by the data source.

49. (previously presented): The session management method of claim 26, wherein the first device is continuously connected to the session management server.

50. (previously presented): The session management method of claim 26, wherein switching between the first session and the second session by the first device is performed in real time.